Circularity Profile

Nanodac (Recorder / Controller)





by Schneider Electric

Send of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Li-ION battery	3.2163	
To be depolluted	2	Electronic Board	155.6	
To be dismantled	3	LCD	32.146	To remove LCD from the LCD drive board, release the 4 clips on the display and cable connector
To be depolluted	4	Other plastic parts with brominates flame retardants	154.58	
To be depolluted	5	Silicon rubber seals	2.3	

Product description

Manufacturer identification	Eurotherm Ltd	
Brand name	Eurotherm	
Product function	Provision of precision temperature measurement and / or control, for a period of 10 years, within industrial applications, the nanodac [™] recorder/controller offers four high accuracy universal inputs for data recording and PID control.	
Product reference	Nanodac	
Additional similar product references	None	
Total representative product mass	0.425 Kg	
Representative product dimensions	ns 96mm*96mm*102.5mm	
Accessories	None	
Date of information release	03/12/2020	

Additional information

Is the product in the scope of WEEE Directive (2012/19/EU)		Yes		
Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.			
In case of special transportation: transportation method	None			
Recyclability potential	36%		recyclability and recoverability calculation method" (version V1, d to the French Agency for Environment and Energy	

Eurotherm

Customer Care Center www.eurotherm.com/support Tel : +44 1903 268500 Faraday Close Worthing BN13 3PL United Kingdom www.eurotherm.com www.schneider-electric.com

Published by Schneider Electric © 2019 - Schneider Electric – All rights reserved